

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Before using this product, food products and packaging materials must be removed from the room or carefully protected.

GENERAL DISINFECTION PERFORMANCE IN NON-MEDICAL FACILITIES: At 4.5 ounces of this product per 1 gallon of water use level (562 ppm active) (or equivalent use dilution) and with a 10-minute contact time, this product is bactericidal according to the AOAC Use Dilution Test method on hard, non-porous surfaces modified in the presence of 5% organic serum against: *Escherichia coli*, *Salmonella enterica*, *Staphylococcus aureus*.

***VIRUCIDAL PERFORMANCE:** At 4.5 ounces of this product per 1 gallon of water use level (or equivalent use dilution) (562 ppm active), this product was evaluated with a 10-minute contact time in the presence of 5% serum and found to be effective against the following viruses on hard, non-porous surfaces: Herpes Simplex Type 1 virus, Herpes Simplex Type 2 virus, Influenza A/Asian virus.

FUNGICIDAL PERFORMANCE: At 6 ounces of this product per one gallon of water use level (or equivalent use dilution) (750 ppm active) and with a 10-minute contact time, this product was evaluated in the presence of 5% serum and found to be effective against the following on hard nonporous surfaces: *Trichophyton mentagrophytes*

MOLD AND MILDEW PERFORMANCE: At 4.5 ounces of this product per 1 gallon of water use level (or equivalent use dilution) (562 ppm active) and with a 10-minute contact time, this product was evaluated in the presence of 5% serum and found to control the growth of the following on hard nonporous surfaces:

Aspergillus niger

MOLD AND MILDEW CONTROL DIRECTIONS: At 4.5 ounces of this product per 1 gallon (or equivalent use dilution) (562 ppm active), this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces as indicated in general instructions above. Apply use solution by cloth, sponge, mop, brush, auto scrubber, mechanical spray device, hand pump coarse pump or trigger spray device to thoroughly wet all treated surfaces completely. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Saturate surfaces with use solution. Allow surface to remain wet for ten (10) minutes. Allow solution to dry on surface and repeat treatment every seven days or when new growth appears. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

PREPARATION OF DISINFECTION/VIRUCIDAL*/FUNGICIDAL USE SOLUTION: For heavily soiled areas, a preliminary cleaning is required. Add 6 ounces of this product per 1 gallon of water (or equivalent use dilution) (750 ppm active) to disinfect hard non-porous surfaces. Apply use solution using a brush, sponge, cloth, mop, auto scrubber, mechanical spray device, hand pump, coarse pump or trigger spray device or by immersion so as to thoroughly wet surfaces. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Rub with brush, cloth, or sponge. Treated surfaces must remain wet for 10 minutes. Rinse and allow to air dry. Rinse all treated surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Change cloth, sponge or towels to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

CLEANING AND DISINFECTION: For heavily soiled areas, a pre-cleaning step is required. For one-step cleaning and general disinfection, use 4.5 ounces of this product per 1 gallon of water use solution (or equivalent use dilution) (562 ppm active). Apply use solution to hard nonporous surfaces using a brush, sponge, cloth, mop, auto scrubber or mechanical spray device, hand pump, coarse pump or trigger spray device or by immersion so as to thoroughly wet surface. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Rub with brush, cloth, or sponge. Allow surfaces to remain wet for 10 minutes. Rinse and allow to air dry. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

TO DISINFECT FOOD SERVICE ESTABLISHMENT FOOD CONTACT SURFACES: For heavily soiled areas, a pre-cleaning step is required. For use on countertops, exterior surfaces of appliances, tables and other hard nonporous surfaces, add 4.5 ounces of this product to 1 gallon of water. Apply solution with a brush, mop, cloth, sponge, auto scrubber, mechanical spray device, hand pump, coarse pump or trigger spray device or by immersion so as to wet all surfaces thoroughly. For sprayer applications, spray 6-8 inches from surface. Rub with brush, cloth, or sponge. Allow surface to remain wet for 10 minutes. Wipe with clean cloth, sponge or paper towel. After use, all surfaces in the area must be thoroughly rinsed with potable water. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

TO DISINFECT FOOD-PROCESSING PREMISES: For heavily soiled areas, a pre-cleaning step is required. For use on floors, walls, storage areas and other hard nonporous surfaces, add 4.5 ounces of this product per 1 gallon of water. Apply solution with a brush, mop, cloth, sponge, auto scrubber, mechanical spray device, hand pump, coarse pump or trigger spray device or by immersion so as to wet all surfaces thoroughly. For spray applications, spray 6-8 inches from surface. Rub with brush, sponge, or cloth. Allow surface to remain wet for 10 minutes. Then remove excess liquid and rinse the surface with potable water. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

FOR USE AS A CLEANER: Apply use solution of 4.5 ounces of this product with 1 gallon of water to surfaces. Allow to air dry.

Lemon Disinfectant 160™

DISINFECTANT • DETERGENT • VIRUCIDE*
FUNGICIDE (Against Pathogenic Fungi) &
MILDEWSTAT

ACTIVE INGREDIENTS:

Alkyl (C14 60%, C16 30%, C12 5%, C18 5%)	
dimethyl benzyl ammonium chloride	0.8%
Alkyl (C12 68%, C14 32%)	
dimethyl ethylbenzyl ammonium chloride	0.8%

INERT INGREDIENTS:	98.4%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO

See side panel for additional
precautionary statements.

First Aid

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

EPA Registration No.
10324-71-4238

NET CONTENTS: 55 GALLONS

EPA Establishment No.
4238-NJ-01

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.
DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes irreversible eye damage and skin burns. Harmful if absorbed through the skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing vapor or spray mist. Wear protective eyewear (goggles, face shield or safety glasses), rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARD

This product is toxic fish.
PHYSICAL OR CHEMICAL HAZARDS
Do not mix with oxidizers, anionic soaps and detergents.
Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

CONTAINER DISPOSAL/PESTICIDE STORAGE/PESTICIDE DISPOSAL: Non-refillable container. Pesticide wastes may be hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. Store only in original container. Do not reuse empty container. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously and dispose of rinsate. Repeat two more times. Wrap container and put in trash or offer for recycling if available.

TSR No. 011111



**DIAMOND
CHEMICAL
COMPANY
INC.**

MADE IN THE
USA



Union Ave. & DuBois Street, East Rutherford, N.J. 07073
201-935-4300

2015 Diamond Chemical Co., Inc.

D-12